Date: elser:

Julie Dawson

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

Drawing Name

: 350/212/130 BASKET LID

Estimate Number

: 43779B : 10193

P.O. Number

This Issue

: 26/11/2008 : NC

: 43142B

: 11

S.O. No. :

Part Number

: D2512

Drawing Number

: D2512 REVE

Project Number

: N/A

Drawing Revision

Material

Due Date

: 10/12/2008

Qty:

1 Um: Each

Comment '

Prsht Rev.

First Issue

Previous Run

Written By Checked & Approved By

: Rev Est:M 03.01.31

Type

Added D2012-117 for D130-701-041

RF

Est Rev:N 06.04.05

Added level21

: LARGE FAB ASSY

ΕC

Est Rev:O 08-08-29 Est Rev:P 08-09-24

revE as per dwg DD verified by:EC plug holes prior to powder coating DD

verified by:EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M304TS0750W065

304 SQ Tube .75x.75x.065W



Comment: Qty.: 45.7594 f(s)/Unit

Total:

45.7594 f(s)

Pick:

3/4"x3/4" 304/316 SS tube .065" wall

Batch: Micoil

SAD

2.0

D31663

Basket Hoop



Comment: Qty.:

1.0000 Each(s)/Unit

1.0000 Each(s)



Qty Part Number D3166-3

Description

Batch

Basket Hoop 13

42717

08-12-16

3.0

1 D2506

Pick:

Label Plate

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

Pick:

1 D2506

Qty Part Number

Label Plate

Description

Batch 39.45.7

08/12/22

Dart Aerospace Ltd

W/O:			WO	RK ORDER CHAN	GES					
DATE STEP		PRO	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
٠										
		•			1					
		•			 					
			-							
Part No: PAR #: _				Fault Category:						
	Re	solution:	Disposition	:	Q	A: N/C CI	osed:		Date:	
NCR:			WORK ORDE	R NON-CONFORM	IANC	E (NCF	R)			
DATE	STEP	Description of NC	Corrective Action		ction B	0:		cation	Approval	Approval
DAIL	JILF	Section A	Initial Chief Eng	Action Description Chief Eng		Sign 8 Date	Secti	on C	Chief Eng	QC Inspector
					İ	,				
		<u>i.</u>			 					
					1					
			1		1					

NOTE: Date & initial all entries

Date: Wednesday, 26/11/2008 12:48:05 PM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: 350/212/130 BASKET LID Job Number: 43779B Part Number: D2512 Job Number: Seq. #: **Machine Or Operation:** Description: 4.0 D23271 Spacer Bushing Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description 2 D2327-1 Bushing 5.0 D22321 Basket Hinge Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch B 39454 2 D2232-1 Hinge plate 6.0 D2581 Mounting Bracket Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch B 40895 2 D2581 Mounting Bracket 7.0 M304EX07516F Expanded Metal Flat SS Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: 10438 **Qty Part Number** Description Batch 18 sf M304EX0.75-16F Expanded Metal 107966 (7) 8.0 LARGE FAB 1 Comment: LARGE FABRICATION RESOURCE 1 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512. 2-Cut (4) D2236 From D3166-3

3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305

5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required

SM 08/12/22

Dart Aerospa	ce Ltd
---------------------	--------

Dan Ae	rospace L	.ta			i					
W/O:			WC	RK ORDER CHANG	ES					
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	,				j					
		•			!.					
			· · · · · · · · · · · · · · · · · · ·							
					1 1					
Part No	:	PAR #:	Fault Cate	Jory:	_ INC	R: Yes	No DQ	A:	Date: _	
Resolution:		Disposition:			QA: N/C Closed: Date:					
NCR:		,	WORK ORDE	ER NON-CONFORMA	ŅCE	(NCR)			
DATE	STEP	Description of NC			on B		Verificatio		Approvai	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti	on C	Chief Eng	QC Inspector
					!					
		•			1					
					1					
					ļ.	<u>.</u>				
					1				,	
					!					
					İ					

NOTE: Date & initial all entries

Date: Wednesday, 26/11/2008 12:48:05 PM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: 350/212/130 BASKET LID Job Number: 43779B Part Number: D2512 Job Number: Seq. #: Machine Or Operation: Description: 9.0 QC9 VISUAL WELDING INSPECTION Comment: VISUAL WELDING INSPECTION 10.0 QC6 DIMENSIONAL CHECK Comment: DIMENSIONAL CHECK POWDER COATING 11.0 POWDER COATING Comment: POWDER COATING 1- Plug holes in D2581 and in D2327-1 bushing prior to powder coating 2- Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 1ST COAT: START TIME: **OVEN TEMPERATURE:** FINISH TIME: 2ND COAT: START TIME: **OVEN TEMPERATURE:** FINISH TIME: 12.0 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 Batch: 1092 13.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 14.0 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:

Dart Aerospace Ltd

W/O: WORK ORDER CHANGE					E\$						
DATE STEP		PROCEDURE CHANGE B		PROCEDURE CHANGE By Date		PROCEDURE CHANGE By Date Qty				Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No):	PAR #:	Fault Category:	NCR	R: Yes	No DQ	A :	Date:			

Disposition:

QA: N/C Closed: _____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section	В	Verification	Annroval	Annroyal			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
)							
· 											

NOTE: Date & initial all entries

Resolution:

Date:

Wednesday, 26/11/2008 12:48:05 PM

User:

Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350/212/130 BASKET LID

Job Number: 43779B

Part Number: D2512

Job Number:



Seq. #:

Machine Or Operation:

Description:

15.0

QC21

FINAL INSPECTION/W/O RELEASE





Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER	CHANGES						
DATE	STEP	PR	PROCEDURE CHANGE			Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No):	PAR #:	Fault Category:	NCR:	Yes	No DQ	A:	Date:	

QA: N/C Closed: _____ Date: ____


Resolution: _____ Disposition: _____


	WORK ORDER NON-CONFORMANCE (NCR)									
	Description of NC		Corrective Action Section	!	Verification	Approval	Approval			
STEP	Section A	Initial Chief Eng	Action Description Chief Eng		n& Section C	Chief Eng	QC Inspecto			
							:			
					ļ		,			
	t					•				
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Corrective Action Section Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sig	STEP Description of NC Section A Section B Initial Action Description Sign & Section C	STEP Description of NC Section A Section B Section B Verification Approval Chief Eng			


NOTE: Date & initial all entries


PARTS LIST FOR D2512 BASKET LID ASSEMBLY

PART NO	QUANTITY	LENGTH A	LENGTH B	DESCRIPTION
D2512-1	2		25.50	RIB
D2512-3	2		95.30	RIB
D2512-5	6	30.84		RIB
D2512-7	. 3	30.63		RIB
D2232-1	2	N/A	N/A	HINGE PLATE
D2236	4	N/A	N/A	RIB
D2327-1	2	N/A	N/A	BUSHING
D2506	1	N/A	N/A	LABEL PLATE
D2581	2	N/A	N/A	MOUNTING BRACKET











- D2512-1/-3/-5/-7 NOTES:

 1) MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.065 WALL SQUARE TUBING REF. DART SPEC M304TS0.750W.065
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST

E	INCORPORATED D1 & D2. MATERIAL FOR -1, -3, -5, & -7 WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM: DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH	AJS	08.06.17
	MATERIAL CALLOUT UPDATED. CHANGE HINGE	СР	01.04.19
U	CHANGE HINGE	CF_	01.04.19
С	REMOVE DOUBLE SKIN SECTION,	DS	99.07.06

DESIGN	LBW₁	J DART AEROSPACE L'	ΓD
DRAWN	AJS	HAWKESBURY, ONTARIO, CANAD	A
CHECKED	.5	DRAWING NO.	REV. E
MFG. APPR.	Ma	D2512 SHI	EET 1 OF 4
APPROVED	1117	TITLE	SCALE
DE APPR.	1	BASKET LID ASSEMBLY (350/212)	NTS
DATE OR O	C 17	COPYRIGHT © 1995 BY DART AEROSPACE LT	

NEW ISSUE

SHOP COLLY RETURNIO

ENGINEETING
UNCONTROLIED COPY
SUBJECT TO AN ENDMENT

96.05.24

95.11.21


DATE


BW

BY

ADDED LATCH CHANNEL & LABEL PLATE

DESCRIPTION





TRIM MESH AS REQUIRED TO ALLOW D2232-1 HINGE PLATE TO SIT FLUSH ON FRAME D2232-1 D HINGE PLATE DRILL 3/8 HOLE AND (TYP BOTH ENDS) **INSTALL D2327-1 USING** CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION **BOTH ENDS DETAIL** E **←** 1.19 ← D2327-1 **VIEW C-C SIMILAR BOTH END RIBS** A5-2 TO CENTER OF BASKET SHOP COPY **EXPANDED METAL** 4.00 RETURN TO **DETAIL E C6-4** 2X 3 PL ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DESIGN BW. SECTION D-D SAME BOTH CENTER RIBS A4-2 DRAWN REV. E DRAWING NO. CHECKED D2512 SHEET 4 OF 4 MFG. APPR. SCALE APPROVED BASKET LID ASSEMBLY (350/212) DE APPR. COPYRIGHT © 1995 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WITHIN PERMISSION FROM DART ARROSPACE LTD. DATE 08.06.17 8 3 6